

## Researchers

Günther Fink  
Swiss Tropical and Public Health Institute

Gillian Levine  
Swiss Tropical and Public Health Institute

Salifu Amadu  
Country Director, Ghana

Issah Mohammed  
Research Associate

## Staff

Salifu Amadu  
Country Director, Ghana

Santiago Sanchez Guiu  
Director, Global Operations & Systems

## Timeline

2018-2019

## Study Status

Results

## Study Type

Pilot

## Sample Size

15 communities (300 new mothers)

## Research Implemented by IPA

Yes

## PLOS ONE

### RESEARCH ARTICLE

# Mobile nudges and financial incentives to improve coverage of timely neonatal vaccination in rural areas (GEVaP trial): A 3-armed cluster randomized controlled trial in Northern Ghana

Gillian Levine<sup>1,2\*</sup>, Amadu Salifu<sup>3</sup>, Issah Mohammed<sup>3</sup>, Günther Fink<sup>1,2</sup>

**1** Department of Epidemiology and Public Health, Swiss Tropical and Public Health Institute, Basel, Switzerland, **2** University of Basel, Basel, Switzerland, **3** Innovations for Poverty Action, Tamale, Ghana

\* [g.levine@swiss TPH.ch](mailto:g.levine@swiss TPH.ch)



## Abstract

### Background

Despite progress in vaccination coverage, timeliness of childhood vaccination remains a challenge in many settings. We aimed to assess if mobile phone-based reminders and incentives to health workers and caregivers could increase timely neonatal vaccination in a rural, low-resource setting.

### Methods

We conducted an open-label cluster randomized controlled 1:1:1 trial with three arms in 15 communities in Northern Ghana. Communities were randomized to 1) a voice call reminder intervention; 2) a community health volunteer (CHV) intervention with incentivized rewards; 3) control. In the voice call reminder arm, a study staff member made voice calls to mothers shortly after birth to encourage vaccination and provide personalized information about available vaccination services. In the incentive arm, CHVs promoted infant vaccination and informed women with recent births about available vaccination opportunities. Both CHVs and women were provided small monetary incentives for on-time early infant vaccination in this arm, delivered using mobile phone-based banking applications. No study activities were conducted in control communities. A population-based survey compared vaccination coverage across arms in the pre-intervention and intervention periods. The primary endpoint was completion of at least one dose of Polio vaccine within 14 days of life and BCG vaccination within 28 days of life.

### Results

Six hundred ninety births were identified, 106, 88, and 88 from pre-intervention and 150, 135, and 123 in the intervention period, in the control, voice call reminder and CHV incentive arms, respectively. In adjusted intent-to-treat analysis, voice call reminders were associated

### OPEN ACCESS

**Citation:** Levine G, Salifu A, Mohammed I, Fink G (2021) Mobile nudges and financial incentives to improve coverage of timely neonatal vaccination in rural areas (GEVaP trial): A 3-armed cluster randomized controlled trial in Northern Ghana. *PLoS ONE* 16(5): e0247855. <https://doi.org/10.1371/journal.pone.0247855>

**Editor:** Patrick Fyfe/Fac, WISCONSIN STATES

**Received:** August 28, 2020

**Accepted:** February 7, 2021

**Published:** May 19, 2021

**Copyright:** © 2021 Levine et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

**Data Availability Statement:** The data underlying the results presented here are available from [ipahq.com](mailto:ipahq.com) at DOI:10.5281/zenodo.5320025

**Funding:** Funding was provided by the Bill and Melinda Gates Foundation under Grand Challenges Exploration Grant Round 20 awarded to G. Fink, and investment ID: GP 190024. <https://www.gatesfoundation.org> The funder had no role in the study design, data collection or analysis, decision to publish, or preparation of the manuscript.

# The Impact of Text-Message Reminders and Small Rewards on Timely Vaccination Coverage in Northern Ghana



In This Image  
An infant is vaccinated in Ghana. © 2019 IPA Ghana

## Abstract

Despite major global progress in vaccination coverage, many children and young infants are vaccinated late, leaving them susceptible to life-threatening, preventable illnesses. In Ghana, researchers conducted an evaluation to investigate the impact of mobile phone-based reminders and an incentive system on early vaccination coverage and timely documentation of births. Results show that incentives increased on-time infant vaccination by 49.5 percentage points. Reminders had a smaller but still significant impact, increasing on-time infant vaccination by 10.5 percentage points.

## Policy Issue

Despite major progress globally in child vaccination coverage overall, many children and young infants are vaccinated late, leaving them susceptible to experiencing life-threatening, preventable diseases. [Previous research](#) suggests that mobile phone-based reminders can increase medication adherence and attendance at health care appointments, but evidence on the impact of such reminders on accessing preventive services is more limited.

Incentive and small reward systems for households or individuals, and for healthcare workers, have also been effective in improving immunization coverage. For example, results from India suggest that even small rewards can result in substantial increases in vaccination uptake.<sup>1</sup> This project built on the evidence from India to evaluate a novel intervention approach in rural communities in northern Ghana.

## Context of the Evaluation

In Ghana, 97 percent of children receive the Bacillus Calmette-Guérin (BCG) vaccine to provide protection against tuberculosis within the first year of life, and 79 percent of children receive the first dose of the polio vaccination, typically given at birth.<sup>2</sup> But coverage of early vaccinations varies considerably by setting, and is lower in regions where women often deliver at home, as is the case in Ghana's Northern region. Only 58 percent of children in the Northern region receive the first dose of the polio vaccine.<sup>3</sup>

Community health volunteers are charged with documenting births and providing health information for new mothers. However, because community health volunteers (CHVs) are not formally associated with the Ghana Health Systems and do not get compensated for their work, birth reporting and registration is low.<sup>4</sup> This makes it difficult for the health systems to connect with new mothers for vital neonatal vaccination. Recent research conducted in this region shows that the large majority of households have access to mobile phones, even in the most rural areas.<sup>5</sup> This project used mobile phones to address two of the biggest bottlenecks in vaccine delivery: documentation of births and late vaccination.

## Details of the Intervention

Researchers conducted an evaluation (pilot cluster randomized controlled trial) in the Karanga region of northern Ghana to assess the impact of mobile phone reminders and reward systems on early vaccination coverage rates and timely documentation of births. A total of 15 communities were randomly assigned into three groups:

- **Voice call reminder (Five communities):** Community health volunteers documented and reported births in the community. New mothers received a voice call from central study staff highlighting the importance of early vaccinations, encouraging them to get their newborns vaccinated, and informing them of available opportunities in their communities to receive vaccination for their newborns.
- **CHV + Incentives (five communities):** Community health volunteers documented

and reported births in the community. New mothers received encouragement from the community health volunteer in person or via phone, voice message, or text message to complete recommended vaccinations. If the vaccinations were successfully completed on time, mothers and community volunteers each received an incentive via a mobile banking app.

- **Comparison group (five communities):** No active intervention was provided for new mothers. The communities' regular health and vaccine services continued.

The intervention took place between November 2018 and April 2019. In July 2019, researchers conducted household surveys to assess vaccination coverage before and after the intervention launch. They also documented the number of live births that occurred in the previous year and documented all infants up to 12 months of age residing in the community, or born in the previous 12 months and deceased.

## Results and Policy Lessons

Incentives significantly increased on-time infant polio and BCG vaccination by 49.5 percentage points. Reminders had a smaller but still significant impact, increasing on-time infant vaccination by 10.5 percentage points.

**Polio Vaccination Impacts:** The impacts on on-time infant vaccination were driven entirely by polio vaccinations. Incentives increased on-time first-dose polio vaccination by 48.8 percentage points relative to the comparison group. Voice call reminders increased infant vaccination by 10.7 percentage points, only slightly higher than the comparison group.

**BCG Vaccination Impacts:** Neither incentives nor voice call reminders had any impact on on-time BCG vaccination relative to the comparison group.

**Number of Births and Birth Reporting:** Researchers documented 693 live births before and during the intervention, with 690 surviving to at least one day of life. Of the 690 infants, 211 were born in the incentive group communities (88 pre-intervention; 123 intervention period), 223 were born in the voice reminder group communities (88 pre-intervention; 135 intervention period), and 256 were born in the comparison group communities (106 pre-intervention; 150 intervention period).

During the intervention, the community health volunteers identified and reported 71 percent of births in the voice call reminder communities (96 out of 135 births) and 67 percent of births in the incentives communities (82 out of 123 births).

## Sources

<sup>1</sup> Banerjee, Abhijit Vinayak, Esther Duflo, Rachel Glennerster, and Dhruva Kothari. "Improving immunisation coverage in rural India: clustered randomised controlled evaluation of immunisation campaigns with and without incentives." *Bmj* 340 (2010).

<sup>2,3</sup> Ghana Demographic and Health Survey. 2014. Ghana Statistical Service, Ghana Health

Service, and ICF International. <https://dhsprogram.com/pubs/pdf/fr307/fr307.pdf>

<sup>4</sup> Dake, Fidelia AA, and Kamil Fuseini. "Registered or unregistered? Levels and differentials in registration and certification of births in Ghana." *BMC international health and human rights* 18 (2018): 1-9.

<sup>5</sup> Williams, Idongesit, and Benjamin Kwofie. "The Impact of Liberalization on the Mobile Telephony Market in Africa: the Cases of Ghana, Nigeria and Kenya." In *The African Mobile Story*, pp. 17-40. River Publishers, 2022.

September 12, 2023